



We create chemistry

# Safety Data Sheet

## Ultra-Pure Oil

Revision date : 2022/10/17

Version: 4.0

Page: 1/12

(30473446/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

#### Ultra-Pure Oil

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, insecticide

Recommended use\*: insecticide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF CORPORATION

100 Park Avenue

Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 417476

Registration number: EPA Registration number: 69526-5-499

Synonyms: Petroleum oil mixture

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Asp. Tox.

1

Aspiration hazard

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17  
Version: 4.0

Page: 2/12  
(30473446/SDS\_CPA\_US/EN)

### Label elements

Pictogram:



Signal Word:  
Danger

Hazard Statement:  
H304 May be fatal if swallowed and enters airways.

Precautionary Statements (Response):  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or physician.  
P331 Do NOT induce vomiting.

Precautionary Statements (Storage):  
P405 Store locked up.

Precautionary Statements (Disposal):  
P501 Dispose of contents/container in accordance with local regulations.

---

## 3. Composition / Information on Ingredients

### According to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR Part 1910.1200

White mineral oil (petroleum)  
CAS Number: 8042-47-5  
Content (W/W): 98.0 %  
Synonym: White mineral oil, petroleum

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. If necessary, give oxygen. If not breathing, give artificial respiration.

#### If on skin:

Immediately wash thoroughly with soap and water, seek medical attention. Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

#### If in eyes:

Remove contact lenses, if present. Wash affected eyes for at least 15 minutes under running water with eyelids held open. Seek medical attention.

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17  
Version: 4.0

Page: 3/12  
(30473446/SDS\_CPA\_US/EN)

### **If swallowed:**

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard. Never give anything by mouth to an unconscious person.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Additional information:

Use extinguishing measures to suit surroundings.

### **Special hazards arising from the substance or mixture**

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrous gases

The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### **Further information:**

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## **6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is not regulated by CERCLA ('Superfund').

### **Methods and material for containment and cleaning up**

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17  
Version: 4.0

Page: 4/12  
(30473446/SDS\_CPA\_US/EN)

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

## 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

White mineral oil (petroleum)	ACGIH, US:	TWA value 5 mg/m <sup>3</sup> Inhalable fraction ;
	OSHA Z1:	PEL 5 mg/m <sup>3</sup> Mist ;
	ACGIH, US:	; Exposure by all routes should be carefully controlled to levels as low as possible.
	ACGIH, US:	; Included in the regulation, but with no data values - See the regulation for further details

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17  
Version: 4.0

Page: 5/12  
(30473446/SDS\_CPA\_US/EN)

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form:	liquid	
Odour:	slight odour, of petroleum	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	colourless to slightly yellow	
pH value:	The product has not been tested.	
Melting point:	The product has not been tested.	
Boiling point:	The product has not been tested.	
Flash point:	173 °C	(Cleveland open cup)
Flammability:	not readily ignited	(other)

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17  
Version: 4.0

Page: 6/12  
(30473446/SDS\_CPA\_US/EN)

Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Autoignition:	325 - 365 °C	(other)
Vapour pressure:	< 0.01 kPa ( 20 °C) Information based on the main component/s.	
Density:	approx. 0.85 g/cm3 ( 15 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. No decomposition if stored and handled as prescribed/indicated.	
Viscosity, kinematic:	9.6 mm2/s ( 40 °C)	
Solubility in water:	insoluble	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17  
Version: 4.0

Page: 7/12  
(30473446/SDS\_CPA\_US/EN)

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### Incompatible materials

strong acids, strong bases, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Of low toxicity after single ingestion. Of low toxicity after short-term skin contact. Virtually nontoxic by inhalation.

#### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

#### Inhalation

*Information on: White mineral oil (petroleum)*

*Type of value: LC50*

*Species: rat*

*Value: > 5.2 mg/l*

*Exposure time: 4 h*

*An aerosol was tested.*

-----

#### Dermal

Type of value: LD50

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17  
Version: 4.0

Page: 8/12  
(30473446/SDS\_CPA\_US/EN)

Species: rat  
Value: > 2,000 mg/kg

### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

### Skin

*Information on: White mineral oil (petroleum)*

*Species: rabbit*

*Result: non-irritant*

*Method: OECD Guideline 404*  
-----

### Eye

*Information on: White mineral oil (petroleum)*

*Species: rabbit*

*Result: non-irritant*

*Method: OECD Guideline 405*  
-----

### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: White mineral oil (petroleum)*

*Species: guinea pig*

*Result: Non-sensitizing.*

*Method: OECD Guideline 406*  
-----

## Chronic Toxicity/Effects

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.



# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17

Version: 4.0

Page: 9/12

(30473446/SDS\_CPA\_US/EN)

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Misuse can be harmful to health.

---

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Toxicity to fish

*Information on: White mineral oil (petroleum)*

*LL50 (96 h) > 10,000 mg/l, Leuciscus idus (OECD Guideline 203, static)*

*The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Limit concentration test only (LIMIT test).*

*Analogous: Assessment derived from products with similar chemical character.*

-----

#### Aquatic invertebrates

*Information on: White mineral oil (petroleum)*

*LL50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*

*The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.*

*Analogous: Assessment derived from products with similar chemical character.*

-----

#### Aquatic plants

*Information on: White mineral oil (petroleum)*

*Lowest observed effect concentration (72 h) < 100 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*

*The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration. Limit concentration test only (LIMIT test).*

*Analogous: Assessment derived from products with similar chemical character.*

-----

#### Chronic toxicity to aquatic invertebrates

*Information on: White mineral oil (petroleum)*

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17  
Version: 4.0

Page: 10/12  
(30473446/SDS\_CPA\_US/EN)

*(21 d) 10 mg/l, Daphnia magna (OECD Guideline 211, semistatic)  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.*

-----

### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Elimination information

Inherently biodegradable.

#### Assessment biodegradation and elimination (H2O)

*Information on: White mineral oil (petroleum)*

*Not readily biodegradable (by OECD criteria). Moderately/partially biodegradable.*

-----

### Bioaccumulative potential

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment bioaccumulation potential

*Information on: White mineral oil (petroleum)*

*Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible. Because of the product's consistency and low water solubility, bioavailability is improbable. The product has not been tested. The statement has been derived from the structure of the product.*

-----

### Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: White mineral oil (petroleum)*

*No data available.  
Adsorption to solid soil phase is not expected.*

-----

### Additional information

Other ecotoxicological advice:  
The product has not been tested.

Do not discharge product into the environment without control.

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17

Version: 4.0

Page: 11/12

(30473446/SDS\_CPA\_US/EN)

### 13. Disposal considerations

#### Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

### 14. Transport Information

#### Land transport

USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

#### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

### 15. Regulatory Information

#### Federal Regulations

#### Registration status:

Crop Protection TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### State regulations

##### State RTK

PA

MA

NJ

##### CAS Number

8042-47-5

8042-47-5

8042-47-5

##### Chemical name

White mineral oil (petroleum)

White mineral oil (petroleum)

White mineral oil (petroleum)

### 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2022/10/17

# Safety Data Sheet

## Ultra-Pure Oil

Revision date: 2022/10/17  
Version: 4.0

Page: 12/12  
(30473446/SDS\_CPA\_US/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET